



Pall Corporation

Magnum

High Capacity
Filtration Systems

6"

Filtration. Separation. Solution.SM

Expanding The Filtration Horizon



High Performance Filtration

Pall, a leader in filtration and separations technology, has developed a new range of filter elements that combine the performance advantages of cartridge filters with the ease of use of bag filter systems. The resulting Magnum Series elements offer a unique combination of benefits and unmatched economics. Filtration customers no longer have to choose between cartridge and bag technologies.



The heart of the Magnum Series element is the proprietary filter media from Pall Corporation. Our range of advanced filter media provides higher removal efficiencies and longer on stream life than other cartridges of equal efficiency. The unique configuration of the Magnum Series element offers significantly higher surface area than conventional cartridge or bag technologies and exceptional dirt holding capacity.

Exceptional Flexibility



These two graphs compare high efficiency bags and 10" standard pleated filter cartridges with Magnum POLY-FINE® II elements. Comparison is typical for most grades of filter.

Ease of Use

The large six-inch (15.2 cm) diameter Magnum Series filter cartridges easily retrofit into existing size 1 and size 2 bag housings. In addition, one Magnum Series filter replaces up to 16 standard 10" (25.4 cm) filter cartridges, making change-out quick and easy.

The user-friendly design of the Magnum Series filter elements eliminates the hardware commonly associated with cartridge filtration systems. There are no tube guide, springs or compression plates to maintain. This results in faster cartridge change outs, thus reducing system downtime.

In addition, the inside-to-outside fluid flow ensures that the unwanted particles are trapped within the element. This significantly reduces the possibility of contaminating the clean, downstream side of the filter housing during element change out.

Unmatched Flexibility

No longer will filtration performance be limited by the original selection of system hardware. As filtration requirements change, Magnum Series elements can retrofit existing bag systems with little or no additional hardware investment.

In addition, the filtration system can be adapted to changing process requirements. For instance, Magnum Series filter elements can be used during normal process conditions but quickly changed to bag filters during upset conditions. Similarly, Magnum filters can be used for critical batches, while bag filters are used for less critical production runs.

Lower Operating Costs

Magnum Series elements deliver lower operating costs than conventional cartridges for critical applications. The high surface area and resulting long on stream life translates into fewer cartridge change outs and lower disposal costs. And the large diameter configuration is more economical than the equivalent number of standard 10" filters, thus delivering additional savings on filter purchases.


Energy costs are also lower with Magnum elements since, unlike standard filter cartridges, they do not contain a center core, a prime contributor to pressure loss.

Unique Design

Pall Innovative Technology

All Magnum Series filters are manufactured in Pall's state-of-the-art facilities and contain the most advanced melt blown media available. Our proprietary melt blowing processes produce media for the sole purpose of filtration. Our thorough attention to every aspect of the manufacturing process assures a product that offers unmatched performance:

- Unsurpassed consistency
- Precise, absolute rated removal efficiencies
- High porosity for maximum dirt holding capacity
- Broadest range of products
- Engineered products for specific applications



Magnum Series Filter Elements

Poly-Fine II

Poly-Fine XLD

NEXIS® A

Construction

Pleated Surface Melt Blown Polypropylene Filter

Pleated Depth Melt Blown Polypropylene Filter

Melt Blown Polypropylene Depth Filter with Proprietary CoLD® Technology

Filter Grades (>99.9% Efficiency by ASTM F-795 Test)

1 to 150 microns

1.5 to 90 microns

0.5 to 70 microns

Features and Benefits

Product Feature	Product Benefit	Customer Benefit
Large 6" diameter element	High flow capacity High surface area	Lower filtration costs due to fewer filter elements Lower labor costs due to fewer cartridge change outs Lower energy costs as a result of lower initial differential pressures Quick and easy element change outs Lower disposal costs since fewer elements are used
High performance, proprietary media	Precise filtration performance Highly consistent performance Wide range of removal ratings	High performance filtration in critical applications Consistent and reproducible filtration results over time Less rework due to inconsistent filtration
Inside-to-Outside flow	Contaminant captured inside filter element Eliminates contaminant falling into the downstream (clean) section of the housing during element change-out	Faster element change outs Faster system start-ups Improved product quality
Unique adjustable flange design	Retrofits most existing size 1 and size 2 bag filter housings and baskets Flexibility to use bag filters or cartridges	No need to purchase new hardware Use existing bag filter systems Lower capital costs Easy switch from bag filtration to cartridge technology
All polypropylene construction	Wide chemical compatibility FDA listed materials of construction	Compatible with a wide range of fluids Ease of disposal
No center core	Less flow resistance Lower initial pressure drops	Improved flow rates Lower energy costs
Optional re-usable stainless steel flange	Reduces element volume Lower cost replacement elements	Lower disposal volumes Reduced filtration costs

Product Line

Magnum Elements are Available In Three Configurations of Proven Pall High Performance Filter Media

Magnum Poly-Fine II Filters

Magnum Poly-Fine II Series filters are constructed of ultra-thin, proprietary melt blown filter media. These high surface area pleated polypropylene filter cartridges deliver extremely long on stream life and are ideal for classifying filtration and for capture of non-deformable particulate.

The surface area of a single size 2 Magnum Poly-Fine II Series filter can exceed 60 ft² (5.6 m²). This is equivalent to over 6 conventional pleated filters but can hold up to 16 times the contaminant!



Magnum Poly-Fine XLD Filters

Magnum Poly-Fine XLD Series filters are eXtended Life Depth filters with a unique pleated depth configuration. The thicker, multi-layered pleat pack combines the best of pleated and depth technologies into one. The proprietary GEL GUARD™ media incorporated into the XLD series make them ideal for applications where the long life of a pleated filter is desired, but the presence of deformable particles requires the use of depth media. One size 2 Magnum Poly-Fine XLD Series filter has the flow capability of approximately 15 standard 10" (25.4 cm) XLD filters, due to the high surface area and the elimination of the flow restricting center core.



Magnum Nexis A Filters


Magnum Nexis A Series filters deliver all the performance advantages of Pall's proprietary CoLD fiber technology. The unique Co-located Large Diameter fiber construction produces a fiber matrix with excellent structural integrity to assure that the media does not shift, compress or unload captured contaminant. The proprietary manufacturing process produces a melt blown depth filter with the most precise removal efficiencies, the greatest consistency and exceptional void volume for high contaminant holding capacity.

An additional, very important benefit of the inside-out flow configuration is that now the finest filtration zone is on the outside of the filter and so is the zone with the greatest surface area. Compare the 6" (15.2 cm) diameter final filtration layer in a Magnum filter to the 1" diameter final filter zone in a standard 2.5" (6.4 cm) diameter Nexis filter and you will realize that the Magnum filter configuration delivers a significant performance advantage.





**There's
a Magnum
For Every
Application**



Magnum Series Housings and Applications



Magnum Series Housings

Pall offers a complete range of Magnum Series Filter Housings for use with Magnum Series filters. Our ISO 9001 manufacturing facility operates under a world class manufacturing philosophy with a never-ending focus on continuous improvement.

The 316L stainless steel Magnum Housings are available in two sizes to accommodate Size 1 or Size 2 Magnum filters. Single and multi cartridge housings, code and non-code designs are offered. Specially engineered vessels are also possible.

Size 1 and Size 2 Magnum Housings are equipped with standard bag housing baskets and allow the flexibility to switch between Magnum filters and traditional bags.

All Magnum Housings are sized to optimize the dirt holding capacity of the filter element. Depend on Pall to deliver the best filtration solution that also results in the lowest total filtration cost.

Magnum Applications

Chemicals:	Intermediates and fine chemicals
Water:	Make-up, rinse, pre-RO, process cooling
Well Injection:	Completion fluids, secondary water, flood workover
Coatings:	Automotive paints, inks, CD/DVD, magnetic media
Electronics:	Pre-RO, process cooling water, wastewater
Food & Beverage:	Soft drink make-up water, corn syrup, vegetable oils, DE or carbon trap, sweeteners
Photographic:	Photo chemicals, photoemulsions, dyes
Petrochemical:	Amines
Other:	Catalyst recovery, plating baths, glycerine compounds



Pall Corporation

Filterite Division
2118 Greenspring Drive
Timonium, Maryland 21093

1.800.FILTERS toll free
410.252.0800 phone
410.560.2857 fax
www.filterite.com web
filterite@pall.com e-mail

Visit us on the Web at www.pall.com or www.filterite.com

Pall Corporation has offices and plants throughout the world in locations including: Argentina, Australia, Austria, Belgium, Brazil, Canada, China, France, Germany, Hong Kong, India, Indonesia, Ireland, Italy, Japan, Korea, Malaysia, Mexico, the Netherlands, New Zealand, Norway, Poland, Puerto Rico, Russia, Singapore, South Africa, Spain, Sweden, Switzerland, Taiwan, Thailand, United Kingdom, United States, and Venezuela. Distributors are located in all major industrial areas of the world.